

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	441164	(mark or marked or marking or label or labeled or labeling or tag or tagged or tagging or media or medium or memory or register or registered or registering or implant or implanting or implanted or add or added or adding or embed or embedded or embedding or stamp or stamped or stamping or emboss or embossed or embossing) near5 (specification or convert or conversion or correct or corrected or correcting or correction or compensate or compensated or compensating or compensation or calibrate or calibrated or calibrating or calibration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
2	BRS	L2	1008098	(mark or marked or marking or label or labeled or labeling or tag or tagged or tagging or media or medium or memory or register or registered or registering or implant or implanting or implanted or add or added or adding or embed or embedded or embedding or stamp or stamped or stamping or emboss or embossed or embossing) near5 (converted or converting or translate or translated or translating or translation or change or changed or changing or alter or altered or altering or alteration or modify or modified or modifying or modification or delta or adjust or adjusted or adjusting or adjustment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
3	BRS	L3	2349122	(plan or size or shape or blue or blueprint or specification or criteria or criterium or requirement or tolerance or qualification or standard or bench or benchmark or baseline or base or reference) near6 (generate or generated or generating or generation create or created or creating or creation or build or building or built or fabricate or fabricated or fabricating or fabrication or manufacture or manufactured or manufacturing or machine or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
4	BRS	L4	9548	(L1 or L2) same L3 same (track or tracked or tracker or tracking or trackor or locator or locater or locate or located or locating or location or position or positioned or positioning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
5	BRS	L5	1787187	(specification or size or shape or contour or contouring or profile or profiling or dimension or dimensional or length or width or height or depth or thick or thickness or coordinate or (co adj2 ordinate) or 1d or 2d or 3d or x or y or z or cartesian or polar) near5 (measure or measured or measuring or measurement or test or tested or testing or monitor or monitored or monitoring or capture or captured or capturing or detect or detected or detecting or detection or detector or detector or sense or sensed or sensing or sensor or sensor or transduce or transduced or transducing or transducer or probe or probed or probing or sample or sampled or sampling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	1968765	(specification or size or shape or contour or contouring or profile or profiling or dimension or dimensional or length or width or height or depth or thick or thickness or coordinate or (co adj2 ordinate) or 1d or 2d or 3d or x or y or z or cartesian or polar) near5 (determine or determining or determination or determined or scan or scanned or scanning or scanner or image or imaged or imaging or imager or meter or metered or metering or gauge or gauged or gauging or gage or gaged or gaging or acquire or acquired or acquiring or acquisition or acquisitioning or acquirer or acquiror or inspect or inspected or inspecting or inspection or aggregate or aggregated or aggregating or aggregation or collect or collected or collecting or collection or collector or collector or log or logged or logging or logger or accumulate or accumulated or accumulating or accumulation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
7	BRS	L7	573848	(L5 or L6) same (judge or judged or judging or judgment or judgement or judger or judgor or evaluate or evaluated or evaluating or evaluation or evaluator or evaluator or analysis or analyze or analyzed or analyzing or analyzer or analyzor or id or identify or identifying or identified or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
8	BRS	L8	341630	L7 same (plan or size or shape or blue or blueprint or specification or criteria or criterium or requirement or tolerance or qualification or standard or bench or benchmark or baseline or base or reference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
9	BRS	L9	61541	L8 same (health or healthy or good or pass or normal or acceptable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
10	BRS	L10	2191658	(L5 or L6 or specification or convert or conversion or correct or corrected or correcting or correction or compensate or compensated or compensating or compensation or calibrate or calibrated or calibrating or calibration or plan or size or shape or specification or criteria or criterium or requirement or tolerance or qualification or standard or reference or dimension or length or width or height or depth or thick or thickness or coordinate or (co adj2 ordinate)) nearl0 (write or written or writing or log or logged or logging or logger or record or recording or recorded or recorder or recordor or store or stored or storing or memorize or memorizing or memorization or memory or print or printed or printing or imprint or imprinted or imprinting or stamp or stamped or stamping or emboss or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10

				embossed or embossing)		
--	--	--	--	------------------------	--	--

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	1254423	(converted or converting or translate or translated or translating or translation or change or changed or changing or alter or altered or altering or alteration or modify or modified or modifying or modification or delta or adjust or adjusted or adjusting or adjustment) near10 (write or written or writing or log or logged or logging or logger or record or recording or recorded or recorder or recordor or store or stored or storing or memorize or memorizing or memorization or media or medium or memory or print or printed or printing or imprint or imprinted or imprinting or stamp or stamped or stamping or emboss or embossed or embossing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
12	BRS	L12	1334614	(mark or marked or marking or label or labeled or labeling or tag or tagged or tagging or memory or register or registered or registering or implant or implanting or implanted or add or added or adding or embed or embedded or embedding or stamp or stamped or stamping or emboss or embossed or embossing) near5 (generate or generated or generating or generation create or created or creating or creation or build or building or built or fabricate or fabricated or fabricating or fabrication or manufacture or manufactured or manufacturing or machine or process)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
13	BRS	L13	184682	(L10 or L11) same L12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	160973	(L5 or L6) near15 (mark or marked or marking or label or labeled or labeling or tag or tagged or tagging or memory media or medium or register or registered or registering or implant or implanting or implanted or add or added or adding or embed or embedded or embedding or stamp or stamped or stamping or emboss or embossed or embossing or track or tracked or tracker or tracking or trackor or locator or locater or locate or located or locating or location or position or positioned or positioning) near15 (write or written or writing or log or logged or logging or logger or record or recording or recorded or recorder or recordor or store or stored or storing or memorize or memorizing or memorization or memory or print or printed or printing or imprint or imprinted or imprinting or stamp or stamped or stamping or emboss or embossed or embossing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
15	BRS	L15	65	L4 and L9 and ((L1 or L2) same L14)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10

16	BRS	L16	169652	(computer or computerized or display or displayed or displaying or model or modeled or modeling or simulate or simulated or simulating or simulation or virtual or reality) near5 (1d or 2d or 3d or dimension or dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
----	-----	-----	--------	--	--	---------------------

	Type	L #	Hits	Search Text	DBs	Time Stamp
17	BRS	L17	51478	L16 same (track or tracked or tracker or tracking or trackor or locator or locator or locate or located or locating or location or position or positioned or positioning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
18	BRS	L18	2263	L14 same L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
19	BRS	L19	438	L13 and L14 and L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
20	BRS	L20	521777	L3 same (track or tracked or tracker or tracking or trackor or locator or locator or locate or located or locating or location or position or positioned or positioning)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
21	BRS	L21	1384	L4 and L14 and L20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10
22	BRS	L22	1798	L15 or L19 or L21 Reviewed Ti, Ab, Kwic All	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2009/03/30 07:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
23	BRS	L23	1463	("20070265715" or "2005102202" or "5617857" or "6347460" or "6640607" or "5987960" or "4672306" or "5357953" or "4303984" or "4418392" or "4845649" or "4868476" or "5089979" or "5347476" or "5365462" or "5375073" or "5377128" or "5790432" or "5839094" or "5946641" or "6427129" or "20070187240").pn. or ((@pd="19590101" and @pd<="19710101") and (33/501 or 33/501 or 33/503 or 33/504 or 33/533 or 33/534 or 33/535 or 33/545 or 33/546 or 33/547 or 33/548 or 33/551 or 33/559 or 73/1.01 or 73/1.79 or 73/1.81 or 73/865.8 or 73/865.6 or 235/375 or 356/2 or 356/243.1 or 356/600 or 356/601 or 356/602 or 356/603 or 356/604 or 356/605 or 356/606 or 356/607 or 356/608 or 356/609 or 356/610 or 356/611 or 356/612 or 356/613 or 356/625 or 356/626 or 356/627 or 356/628 or 356/629 or 356/630 or 356/631 or 356/632 or 356/633 or 356/634 or 356/635 or 356/636 or 356/637 or 356/638 or 356/639 or 356/640 or 356/388 or 356/394 or 382/100 or 382/141 or 382/152 or 700/90 or 700/95 or 702/1 or 702/33 or 702/34 or 702/35 or 702/81 or 702/82 or 702/84 or 702/85 or 702/97 or 702/105 or 702/127 or 702/155 or 702/156 or 702/157 or 702/158 or 702/166 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB <div>Reviewed TI All</div>	2009/03/30 07:26

				702/166 or 702/158 or 702/170 or 702/187 or 702/188 or 702/189).cccls.)		
--	--	--	--	---	--	--

	Type	L #	Hits	Search Text	DBs	Time Stamp
25	BRS	L25	0	("2007/0265715").URPN.	USPAT	2009/03/30 07:32

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pages
1	US 4382215 A	19830503	Barlow; Allan R. et al.	318/568.1	318/572; 318/632; 700/176; 700/192; 700/195	28
2	JP 62130160 A	19870612	MATSUKI, HIDEAKI et al.		700/196	7
3	US 4868476 A	19890919	Respaut; James E.	318/632	318/490; 73/618; 73/633	9
4	US 20070108285 A1	20070517	Lapstun; Paul et al.	235/454		82

L22 Results

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pages
1	US 4303984 A	19811201	Houvig; Felix J.	702/104	374/171; 376/247; 73/313	5
2	US 4418392 A	19831129	Hata; Yoogo	702/91	374/E7.033; 600/549; 600/561	8
3	US 4672306 A	19870609	Thong; Tran	324/72.5		7
4	US 4845649 A	19890704	Eckardt; Dieter et al.	702/104	340/442; 340/501; 73/146.2	5
5	US 4868476 A	19890919	Respaut; James E.	318/632	318/490; 73/618; 73/633	9
6	US 5089979 A	19920218	McEachern; Alexander et al.	702/91	73/1.88	7
7	US 5347476 A	19940913	McBean, Sr.; Ronald V.	702/91	324/174; 73/1.88	14
8	US 5357953 A	19941025	Merrick; Edwin B. et al.	600/331	356/39	13
9	US 5365462 A	19941115	McBean, Sr.; Ronald V.	702/91	73/1.88	16
10	US 5375073 A	19941220	McBean; Ronald V.	702/91	324/115; 73/1.88	15
11	US 5377128 A	19941227	McBean; Ronald V.	702/91	73/1.88	16
12	US 5617857 A	19970408	Chader; Martin D. et al.	600/424	128/899; 128/903; 600/475	13
13	US 5790432 A	19980804	Morys; Marian	702/91	324/115; 702/104; 702/86	16
14	US 5839094 A	19981117	French; Patrick D.	702/91	702/85	23
15	US 5946641 A	19990831	Morys; Marian	702/91	324/115	16

L23 Results

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pages
16	US 5987960 A	19991123	Messner; Dale A. et al.	73/1.79		15
17	US 6347460 B1	20020219	Forrer; Ruth et al.	33/626	128/920; 33/1CC; 700/175; 700/303; 702/150; 702/94	8
18	US 6427129 B1	20020730	Lalla; Robert	702/88	702/99	8
19	US 6640607 B2	20031104	Abbe; Makoto	73/1.01	73/1.79; 73/1.81	29
20	WO 2005102202 A1	20051103				23
21	US 20070187240 A1	20070816	Araya; Kenichi et al.	204/424		14
22	US 20070265715 A1	20071115	Chouinard; Benoit et al.	700/56	600/424; 700/115; 700/245; 700/250; 700/254; 700/57; 702/85; 702/94	8

L23 Results